

Ackerman, Joyce

From: Dave Folkes <DFolkes@Geosyntec.com>
Sent: Wednesday, December 6, 2017 3:53 PM
To: Ackerman, Joyce
Cc: Stovall - CDPHE, Curtis; Walker - CDPHE, David; Richard Dean; Jonathan H. Steeler; Thomas J. Krasovec; Piggott, Amelia
Subject: RE: Submittal of Removal Work Plans - Administrative Order on Consent Docket Number CERCLA-08-2018-0002

Thank you, Joyce, I appreciate the prompt confirmation!

Dave

From: Ackerman, Joyce [mailto:Ackerman.Joyce@epa.gov]
Sent: Wednesday, December 6, 2017 3:46 PM
To: Dave Folkes <DFolkes@Geosyntec.com>
Cc: Stovall - CDPHE, Curtis <curtis.stovall@state.co.us>; Walker - CDPHE, David <david.walker@state.co.us>; Richard Dean <rdean@stratuscompanies.com>; Jonathan H. Steeler <JSteeler@sennlaw.com>; Thomas J. Krasovec <TJKrasovec@Geosyntec.com>; Piggott, Amelia <Piggott.Amelia@epa.gov>
Subject: RE: Submittal of Removal Work Plans - Administrative Order on Consent Docket Number CERCLA-08-2018-0002

Hi Dave -- I received the Drop Box notification and it looks like all the documents are there. I will expedite the final review of the draft work plan.

Thank you!

Joyce Ackerman
On-Scene Coordinator and START P.O.
U.S. EPA Region 8
1595 Wynkoop Street
Denver, CO 80202
(303) 312-6822

From: Dave Folkes [mailto:DFolkes@Geosyntec.com]
Sent: Wednesday, December 06, 2017 3:33 PM
To: Ackerman, Joyce <Ackerman.Joyce@epa.gov>
Cc: Stovall - CDPHE, Curtis <curtis.stovall@state.co.us>; Walker - CDPHE, David <david.walker@state.co.us>; Richard Dean <rdean@stratuscompanies.com>; Jonathan H. Steeler <JSteeler@sennlaw.com>; Thomas J. Krasovec <TJKrasovec@Geosyntec.com>
Subject: Submittal of Removal Work Plans - Administrative Order on Consent Docket Number CERCLA-08-2018-0002

Dear Joyce,

Pursuant to the requirements of Administrative Order on Consent Docket Number CERCLA-08-2018-0002, I have uploaded to Drop Box the draft Removal Work Plan (i.e., the Drum Removal Work Plan), the Sampling and Analysis Plan (i.e., Field Sampling Plan and Quality Assurance Project Plan), and the Health and Safety Plans. Also uploaded are Quality Management Plans for Stratus Redtail Ranch, LLC contractors Geosyntec Consultants, Inc. and ACTenviro, and

the qualifications of all removal contractors and subcontractors (see Attachment A to the DRWP). The following other supporting plans and documents were also uploaded to Drop Box: the Ambient Air Monitoring Plan, the Storm Water Management Plan, the Proposed Schedule, and the Site Management Plan (including the asbestos management plan). Hard copies of exhibits larger than 8.5 x 11 inches are being hand-delivered to your office this afternoon.

You should have received a notification from Drop Box that these files are available for you to download.

Please confirm receipt of this email, the Drop Box notice, and the hard copies of the exhibits, and don't hesitate to contact me if you have any questions or concerns.

Best regards,
Dave

David J. Folkes, P.E. (CO)
Senior Principal
Geosyntec Consultants

5670 Greenwood Plaza Blvd.
Suite 540
Greenwood Village, CO 80111
Phone: 303.790.1340
Cell: 720.560.1707
www.geosyntec.com

[Sign up to receive vapor intrusion news](#)

Please click [here](#) for more information about Geosyntec's Vapor Intrusion services.

This electronic mail message contains information that (a) is or may be LEGALLY PRIVILEGED, CONFIDENTIAL, PROPRIETARY IN NATURE, OR OTHERWISE PROTECTED BY LAW FROM DISCLOSURE, and (b) is intended only for the use of the Addressee(s) named herein. If you are not the intended recipient, an addressee, or the person responsible for delivering this to an addressee, you are hereby notified that reading, using, copying, or distributing any part of this message is strictly prohibited. If you have received this electronic mail message in error, please contact us immediately and take the steps necessary to delete the message completely from your computer system.

Ackerman, Joyce

From: Dave Folkes <DFolkes@Geosyntec.com>
Sent: Wednesday, December 6, 2017 3:33 PM
To: Ackerman, Joyce
Cc: Stovall - CDPHE, Curtis; Walker - CDPHE, David; Richard Dean; Jonathan H. Steeler; Thomas J. Krasovec
Subject: Submittal of Removal Work Plans - Administrative Order on Consent Docket Number CERCLA-08-2018-0002

Dear Joyce,

Pursuant to the requirements of Administrative Order on Consent Docket Number CERCLA-08-2018-0002, I have uploaded to Drop Box the draft Removal Work Plan (i.e., the Drum Removal Work Plan), the Sampling and Analysis Plan (i.e., Field Sampling Plan and Quality Assurance Project Plan), and the Health and Safety Plans. Also uploaded are Quality Management Plans for Stratus Redtail Ranch, LLC contractors Geosyntec Consultants, Inc. and ACTenviro, and the qualifications of all removal contractors and subcontractors (see Attachment A to the DRWP). The following other supporting plans and documents were also uploaded to Drop Box: the Ambient Air Monitoring Plan, the Storm Water Management Plan, the Proposed Schedule, and the Site Management Plan (including the asbestos management plan). Hard copies of exhibits larger than 8.5 x 11 inches are being hand-delivered to your office this afternoon.

You should have received a notification from Drop Box that these files are available for you to download.

Please confirm receipt of this email, the Drop Box notice, and the hard copies of the exhibits, and don't hesitate to contact me if you have any questions or concerns.

Best regards,
Dave

David J. Folkes, P.E. (CO)
Senior Principal
Geosyntec Consultants

5670 Greenwood Plaza Blvd.
Suite 540
Greenwood Village, CO 80111
Phone: 303.790.1340
Cell: 720.560.1707
www.geosyntec.com

[Sign up to receive vapor intrusion news](#)

Please click [here](#) for more information about Geosyntec's Vapor Intrusion services.

This electronic mail message contains information that (a) is or may be LEGALLY PRIVILEGED, CONFIDENTIAL, PROPRIETARY IN NATURE, OR OTHERWISE PROTECTED BY LAW FROM DISCLOSURE, and (b) is intended only for the use of the Addressee(s) named herein. If you are not the intended recipient, an addressee, or the person responsible for delivering this to an addressee, you are hereby notified that reading, using, copying, or distributing any part of this message is strictly prohibited. If you have received this electronic mail message in error, please contact us immediately and take the steps necessary to delete the message completely from your computer system.